

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	589	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:10
L2	267	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:10
L3	76	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:10
L4	1092	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:10
L5	890	(715/853.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L6	690	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L7	2479	L1 L2 L3 L4 L6 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L8	1	L7 and ((enhancement near3 (legacy old previous)) near3 (application program\$4))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L9	129583	(GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram \$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L10	1313	L7 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L11	150	L10 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10

L12	17	("5146593" "5327529" "5550563" "5600776" "5604896" "5734597" "5819091" "5909684" "5933144" "5946487" "5974256" "6005568" "6049329" "6066181" "6085120" "6128011" "6191790").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:10
L13	5	("4903217" "4910704" "5475812" "5522025" "6111614").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:10
L14	1851	(715/762,764.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L15	3	L14 and ((enhancement near3 (legacy old previous)) near3 (application program\$4))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L16	1123	L14 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L17	140	L16 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L18	3	("20020089542" "20020196281" "6571253"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:10
L19	2	(715/804.ccls.) and (legacy.ti.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:10
L20	5	(715/804.ccls.) and (legacy.ab.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:10
L21	130	dummy with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L22	33	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L23	0	(dummy with token) same (null with device with context)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10

L24	26	L21 and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L25	8	dummy near2 token and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L26	18	L24 not L25	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L27	11235	aid with keys	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L28	680	"aid keys"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L29	1	("5363483").PN.	US-PGPUB; USPAT	OR	OFF	2009/07/08 10:10
L30	14	"aid keys" and (international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L31	5	("4159532" "4719570" "4821211" "4967190" "5146578").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:10
L32	89156	(international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L33	2	L32 and ("dummy token" "mock token" "blank token")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L34	48	L32 and (dummy mock blank) with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L35	15	L32 and ((dummy mock blank) with token) and window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10

L36	170	((dummy mock blank) with token) and window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L37	8	((dummy mock blank) with token) with window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L38	13	((dummy mock blank) with token) same window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L39	5	L38 not L37	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L40	589	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:10
L41	267	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:10
L42	76	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:10
L43	1092	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:10
L44	690	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L45	2479	L40 L41 L42 L43 L44 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L46	1313	L45 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L47	150	L46 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L48	22	L47 and token	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L49	2	L47 and dummy	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10

L50	25	L47 and null	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L51	26	L47 and blank	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L52	104	L46 and token	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L53	1	L46 and token and dummy	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L54	22	L46 and token and blank	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L55	0	("irect\$4redirect\$4) withwindow").PN.	US-PGPUB; USPAT	OR	OFF	2009/07/08 10:10
L56	109716	(direct\$4 redirect\$4) with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L57	132	(direct\$4 redirect\$4) with window same (token)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L58	64	(direct\$4 redirect\$4) with window with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L59	33	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L60	2	null with device with context with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L61	2	null with device with context same window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L62	0	(null with device with context) same token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L63	33	L59 not L62	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10

L64	2	"6549218".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L65	1171	"aid keys"and legacy.ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L66	1	10/749125	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L67	7	immediate same compositional same mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L68	4	immediate same compositional same mode and handle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L69	1	immediate same compositional same mode and handle with window	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L70	890	(715/853.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L71	690	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L72	1092	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:10
L73	589	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:10
L74	267	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:10

L75	76	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:10
L76	2479	L73 L74 L75 L72 L71 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L77	1	L76 and ((enhancement near3 (legacy old previous)) near3 (application program\$4))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L78	129583	(GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram \$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L79	1313	L76 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L80	17	("5146593" "5327529" "5550563" "5600776" "5604896" "5734597" "5819091" "5909684" "5933144" "5946487" "5974256" "6005568" "6049329" "6066181" "6085120" "6128011" "6191790").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:10
L81	150	L79 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L82	5	("4903217" "4910704" "5475812" "5522025" "6111614").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:10
L83	1851	(715/762,764.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L84	3	L83 and ((enhancement near3 (legacy old previous)) near3 (application program\$4))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L85	1123	L83 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L86	140	L85 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L87	3	("20020089542" "20020196281" "6571253"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:10

L88	2	(715/804.ccls.) and (legacy.ti.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:10
L89	5	(715/804.ccls.) and (legacy.ab.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:10
L90	130	dummy with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L91	33	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L92	0	(dummy with token) same (null with device with context)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L93	26	L90 and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L94	8	dummy near2 token and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L95	18	L93 not L94	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L96	11235	aid with keys	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L97	680	"aid keys"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L98	1	("5363483").PN.	US-PGPUB; USPAT	OR	OFF	2009/07/08 10:10
L99	14	"aid keys" and (international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10

L100	5	("4159532" "4719570" "4821211" "4967190" "5146578").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:10
L101	89156	(international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L102	2	L101 and ("dummy token" "mock token" "blank token")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L103	48	L101 and (dummy mock blank) with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L104	15	L101 and ((dummy mock blank) with token) and window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L105	170	((dummy mock blank) with token) and window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L106	8	((dummy mock blank) with token) with window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L107	13	((dummy mock blank) with token) same window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L108	5	L107 not L106	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L109	76	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:10
L110	1092	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:10
L111	690	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10

L112	267	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:10
L113	589	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:10
L114	2479	L113 L112 L109 L110 L111 and (@ad <= "20031230" or @rlad <= "20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L115	1313	L114 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L116	150	L115 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L117	26	L116 and blank	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L118	22	L116 and token	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L119	2	L116 and dummy	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L120	25	L116 and null	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L121	104	L115 and token	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L122	1	L115 and token and dummy	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L123	22	L115 and token and blank	US-PGPUB; USPAT	OR	ON	2009/07/08 10:10
L124	0	("irect\$4redirect\$4) withwindow").PN.	US-PGPUB; USPAT	OR	OFF	2009/07/08 10:10
L125	109716	(direct\$4 redirect\$4) with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L126	132	(direct\$4 redirect\$4) with window same (token)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:10
L127	64	(direct\$4 redirect\$4) with window with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11

L128	2	null with device with context with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L129	33	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L130	0	(null with device with context) same token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L131	33	L129 not L130	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L132	2	null with device with context same window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L133	589	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L134	267	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L135	76	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L136	1092	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L137	890	(715/853.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L138	690	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L139	2479	L133 L134 L135 L136 L138 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L140	1	L139 and ((enhancement near3 (legacy old previous)) near3 (application program\$4))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11

L141	129583	(GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram \$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L142	1313	L139 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L143	150	L142 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L144	17	("5146593" "5327529" "5550563" "5600776" "5604896" "5734597" "5819091" "5909684" "5933144" "5946487" "5974256" "6005568" "6049329" "6066181" "6085120" "6128011" "6191790").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:11
L145	5	("4903217" "4910704" "5475812" "5522025" "6111614").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:11
L146	1851	(715/762,764.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L147	3	L146 and ((enhancement near3 (legacy old previous)) near3 (application program\$4))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L148	1123	L146 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L149	140	L148 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L150	3	("20020089542" "20020196281" "6571253").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:11
L151	2	(715/804.ccls.) and (legacy.ti.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L152	5	(715/804.ccls.) and (legacy.ab.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L153	130	dummy with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11

L154	33	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L155	0	(dummy with token) same (null with device with context)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L156	26	L153 and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L157	8	dummy near2 token and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L158	18	L156 not L157	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L159	11235	aid with keys	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L160	680	"aid keys"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L161	1	("5363483").PN.	US-PGPUB; USPAT	OR	OFF	2009/07/08 10:11
L162	14	"aid keys" and (international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L163	5	("4159532" "4719570" "4821211" "4967190" "5146578").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:11
L164	89156	(international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L165	2	L164 and ("dummy token" "mock token" "blank token")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11

L166	48	L164 and (dummy mock blank) with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L167	15	L164 and ((dummy mock blank) with token) and window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L168	170	((dummy mock blank) with token) and window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L169	8	((dummy mock blank) with token) with window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L170	13	((dummy mock blank) with token) same window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L171	5	L170 not L169	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L172	589	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L173	267	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L174	76	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L175	1092	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L176	690	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L177	2479	L172 L173 L174 L175 L176 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11

L178	1313	L177 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L179	150	L178 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L180	22	L179 and token	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L181	2	L179 and dummy	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L182	25	L179 and null	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L183	26	L179 and blank	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L184	104	L178 and token	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L185	1	L178 and token and dummy	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L186	22	L178 and token and blank	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L187	0	("irect\$4redirect\$4) withwindow").PN.	US-PGPUB; USPAT	OR	OFF	2009/07/08 10:11
L188	109716	(direct\$4 redirect\$4) with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L189	132	(direct\$4 redirect\$4) with window same (token)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L190	64	(direct\$4 redirect\$4) with window with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L191	33	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L192	2	null with device with context with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11

L193	2	null with device with context same window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L194	0	(null with device with context) same token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L195	33	L191 not L194	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L196	2	"6549218".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L197	1171	"aid keys"and legacy.ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L198	1	10/749125	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L199	7	immediate same compositional same mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L200	4	immediate same compositional same mode and handle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L201	1	immediate same compositional same mode and handle with window	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L202	890	(715/853.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11

L203	690	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L204	1092	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L205	589	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L206	267	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L207	76	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L208	2479	L205 L206 L207 L204 L203 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L209	1	L208 and ((enhancement near3 (legacy old previous)) near3 (application program\$4))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L210	129583	(GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram \$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L211	1313	L208 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L212	17	("5146593" "5327529" "5550563" "5600776" "5604896" "5734597" "5819091" "5909684" "5933144" "5946487" "5974256" "6005568" "6049329" "6066181" "6085120" "6128011" "6191790").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:11
L213	150	L211 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L214	5	("4903217" "4910704" "5475812" "5522025" "6111614").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:11
L215	1851	(715/762,764.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11

L216	3	L215 and ((enhancement near3 (legacy old previous)) near3 (application program\$4))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L217	1123	L215 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L218	140	L217 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L219	3	("20020089542" "20020196281" "6571253"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:11
L220	2	(715/804.ccls.) and (legacy.ti.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L221	5	(715/804.ccls.) and (legacy.ab.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L222	130	dummy with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L223	33	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L224	0	(dummy with token) same (null with device with context)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L225	26	L222 and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L226	8	dummy near2 token and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L227	18	L225 not L226	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11

L228	11235	aid with keys	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L229	680	"aid keys"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L230	1	("5363483").PN.	US-PGPUB; USPAT	OR	OFF	2009/07/08 10:11
L231	14	"aid keys" and (international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L232	5	("4159532" "4719570" "4821211" "4967190" "5146578").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:11
L233	89156	(international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L234	2	L233 and ("dummy token" "mock token" "blank token")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L235	48	L233 and (dummy mock blank) with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L236	15	L233 and ((dummy mock blank) with token) and window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L237	170	((dummy mock blank) with token) and window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L238	8	((dummy mock blank) with token) with window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L239	13	((dummy mock blank) with token) same window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11

L240	5	L239 not L238	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L241	76	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L242	1092	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L243	690	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L244	267	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L245	589	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L246	2479	L245 L244 L241 L242 L243 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L247	1313	L246 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L248	150	L247 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L249	26	L248 and blank	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L250	22	L248 and token	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L251	2	L248 and dummy	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L252	25	L248 and null	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L253	104	L247 and token	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L254	1	L247 and token and dummy	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L255	22	L247 and token and blank	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L256	0	("irect\$4redirect\$4) withwindow").PN.	US-PGPUB; USPAT	OR	OFF	2009/07/08 10:11

L257	109716	(direct\$4 redirect\$4) with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L258	132	(direct\$4 redirect\$4) with window same (token)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L259	64	(direct\$4 redirect\$4) with window with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L260	2	null with device with context with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L261	33	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L262	0	(null with device with context) same token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L263	33	L261 not L262	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L264	2	null with device with context same window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L265	2	"6549218".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L266	1	10/749125	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L267	589	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11

L268	267	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L269	76	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L270	1092	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L271	890	(715/853.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L272	690	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L273	2479	L267 L268 L269 L270 L272 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L274	1	L273 and ((enhancement near3 (legacy old previous)) near3 (application program\$4))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L275	129583	(GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram \$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L276	1313	L273 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L277	150	L276 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L278	17	("5146593" "5327529" "5550563" "5600776" "5604896" "5734597" "5819091" "5909684" "5933144" "5946487" "5974256" "6005568" "6049329" "6066181" "6085120" "6128011" "6191790").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:11
L279	5	("4903217" "4910704" "5475812" "5522025" "6111614").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:11
L280	1851	(715/762,764.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L281	3	L280 and ((enhancement near3 (legacy old previous)) near3 (application program\$4))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11

L282	1123	L280 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L283	140	L282 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L284	3	("20020089542" "20020196281" "6571253"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:11
L285	2	(715/804.ccls.) and (legacy.ti.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L286	5	(715/804.ccls.) and (legacy.ab.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L287	130	dummy with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L288	33	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L289	0	(dummy with token) same (null with device with context)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L290	26	L287 and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L291	8	dummy near2 token and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L292	18	L290 not L291	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L293	11235	aid with keys	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11

L294	680	"aid keys"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L295	1	("5363483").PN.	US-PGPUB; USPAT	OR	OFF	2009/07/08 10:11
L296	14	"aid keys" and (international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L297	5	("4159532" "4719570" "4821211" "4967190" "5146578").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:11
L298	89156	(international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L299	2	L298 and ("dummy token" "mock token" "blank token")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L300	48	L298 and (dummy mock blank) with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L301	15	L298 and ((dummy mock blank) with token) and window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L302	170	((dummy mock blank) with token) and window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L303	8	((dummy mock blank) with token) with window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L304	13	((dummy mock blank) with token) same window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L305	5	L304 not L303	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11

L306	589	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L307	267	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L308	76	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L309	1092	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L310	690	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L311	2479	L306 L307 L308 L309 L310 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L312	1313	L311 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L313	150	L312 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L314	22	L313 and token	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L315	2	L313 and dummy	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L316	25	L313 and null	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L317	26	L313 and blank	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L318	104	L312 and token	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L319	1	L312 and token and dummy	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L320	22	L312 and token and blank	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L321	0	("irect\$4redirect\$4) withwindow").PN.	US-PGPUB; USPAT	OR	OFF	2009/07/08 10:11
L322	109716	(direct\$4 redirect\$4) with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11

L323	132	(direct\$4 redirect\$4) with window same (token)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L324	64	(direct\$4 redirect\$4) with window with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L325	33	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L326	2	null with device with context with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L327	2	null with device with context same window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L328	0	(null with device with context) same token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L329	33	L325 not L328	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L330	2	"6549218".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L331	1171	"aid keys" and legacy.ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L332	1	10/749125	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11

L333	7	immediate same compositional same mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L334	4	immediate same compositional same mode and handle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L335	1	immediate same compositional same mode and handle with window	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L336	890	(715/853.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L337	690	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L338	1092	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L339	589	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L340	267	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L341	76	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L342	2479	L339 L340 L341 L338 L337 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L343	1	L342 and ((enhancement near3 (legacy old previous)) near3 (application program\$4))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L344	129583	(GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram \$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L345	1313	L342 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11

L346	17	("5146593" "5327529" "5550563" "5600776" "5604896" "5734597" "5819091" "5909684" "5933144" "5946487" "5974256" "6005568" "6049329" "6066181" "6085120" "6128011" "6191790").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:11
L347	150	L345 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L348	5	("4903217" "4910704" "5475812" "5522025" "6111614").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:11
L349	1851	(715/762,764.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L350	3	L349 and ((enhancement near3 (legacy old previous)) near3 (application program\$4))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L351	1123	L349 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L352	140	L351 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L353	3	("20020089542" "20020196281" "6571253"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:11
L354	2	(715/804.ccls.) and (legacy.ti.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L355	5	(715/804.ccls.) and (legacy.ab.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L356	130	dummy with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L357	33	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11

L358	0	(dummy with token) same (null with device with context)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L359	26	L356 and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L360	8	dummy near2 token and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L361	18	L359 not L360	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L362	11235	aid with keys	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L363	680	"aid keys"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L364	1	("5363483").PN.	US-PGPUB; USPAT	OR	OFF	2009/07/08 10:11
L365	14	"aid keys" and (international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L366	5	("4159532" "4719570" "4821211" "4967190" "5146578").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:11
L367	89156	(international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L368	2	L367 and ("dummy token" "mock token" "blank token")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L369	48	L367 and (dummy mock blank) with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11

L370	15	L367 and ((dummy mock blank) with token) and window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L371	170	((dummy mock blank) with token) and window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L372	8	((dummy mock blank) with token) with window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L373	13	((dummy mock blank) with token) same window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L374	5	L373 not L372	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L375	76	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L376	1092	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L377	690	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L378	267	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L379	589	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L380	2479	L379 L378 L375 L376 L377 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L381	1313	L380 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L382	150	L381 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11

L383	26	L382 and blank	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L384	22	L382 and token	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L385	2	L382 and dummy	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L386	25	L382 and null	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L387	104	L381 and token	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L388	1	L381 and token and dummy	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L389	22	L381 and token and blank	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L390	0	("irect\$4redirect\$4) withwindow").PN.	US-PGPUB; USPAT	OR	OFF	2009/07/08 10:11
L391	109716	(direct\$4 redirect\$4) with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L392	132	(direct\$4 redirect\$4) with window same (token)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L393	64	(direct\$4 redirect\$4) with window with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L394	2	null with device with context with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L395	33	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L396	0	(null with device with context) same token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L397	33	L395 not L396	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11

L398	2	null with device with context same window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L399	589	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L400	267	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L401	76	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L402	1092	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L403	890	(715/853.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L404	690	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L405	2479	L399 L400 L401 L402 L404 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L406	1	L405 and ((enhancement near3 (legacy old previous)) near3 (application program\$4))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L407	129583	(GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram \$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L408	1313	L405 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L409	150	L408 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L410	17	("5146593" "5327529" "5550563" "5600776" "5604896" "5734597" "5819091" "5909684" "5933144" "5946487" "5974256" "6005568" "6049329" "6066181" "6085120" "6128011" "6191790").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:11

L411	5	("4903217" "4910704" "5475812" "5522025" "6111614").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:11
L412	1851	(715/762,764.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L413	3	L412 and ((enhancement near3 (legacy old previous)) near3 (application program\$4))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L414	1123	L412 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L415	140	L414 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L416	3	("20020089542" "20020196281" "6571253").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:11
L417	2	(715/804.ccls.) and (legacy.ti.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L418	5	(715/804.ccls.) and (legacy.ab.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L419	130	dummy with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L420	33	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L421	0	(dummy with token) same (null with device with context)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L422	26	L419 and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L423	8	dummy near2 token and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11

L424	18	L422 not L423	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L425	11235	aid with keys	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L426	680	"aid keys"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L427	1	("5363483").PN.	US-PGPUB; USPAT	OR	OFF	2009/07/08 10:11
L428	14	"aid keys" and (international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L429	5	("4159532" "4719570" "4821211" "4967190" "5146578").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:11
L430	89156	(international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L431	2	L430 and ("dummy token" "mock token" "blank token")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L432	48	L430 and (dummy mock blank) with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L433	15	L430 and ((dummy mock blank) with token) and window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L434	170	((dummy mock blank) with token) and window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L435	8	((dummy mock blank) with token) with window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11

L436	13	((dummy mock blank) with token) same window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L437	5	L436 not L435	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L438	589	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L439	267	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L440	76	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L441	1092	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:11
L442	690	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L443	2479	L438 L439 L440 L441 L442 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L444	1313	L443 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L445	150	L444 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L446	22	L445 and token	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L447	2	L445 and dummy	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L448	25	L445 and null	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L449	26	L445 and blank	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L450	104	L444 and token	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L451	1	L444 and token and dummy	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11

L452	22	L444 and token and blank	US-PGPUB; USPAT	OR	ON	2009/07/08 10:11
L453	0	("irect\$4redirect\$4) withwindow").PN.	US-PGPUB; USPAT	OR	OFF	2009/07/08 10:11
L454	109716	(direct\$4 redirect\$4) with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L455	132	(direct\$4 redirect\$4) with window same (token)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:11
L456	64	(direct\$4 redirect\$4) with window with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L457	33	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L458	2	null with device with context with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L459	2	null with device with context same window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L460	0	(null with device with context) same token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L461	33	L457 not L460	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L462	2	"6549218".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L463	1171	"aid keys"and legacy.ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12

L464	1	10/749125	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L465	7	immediate same compositional same mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L466	4	immediate same compositional same mode and handle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L467	1	immediate same compositional same mode and handle with window	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L468	890	(715/853.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:12
L469	690	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:12
L470	1092	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:12
L471	589	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:12
L472	267	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:12
L473	76	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:12
L474	2479	L471 L472 L473 L470 L469 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:12
L475	1	L474 and ((enhancement near3 (legacy old previous)) near3 (application program\$4))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:12

L476	129583	(GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram \$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:12
L477	1313	L474 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:12
L478	17	("5146593" "5327529" "5550563" "5600776" "5604896" "5734597" "5819091" "5909684" "5933144" "5946487" "5974256" "6005568" "6049329" "6066181" "6085120" "6128011" "6191790").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:12
L479	150	L477 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:12
L480	5	("4903217" "4910704" "5475812" "5522025" "6111614").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:12
L481	1851	(715/762,764.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:12
L482	3	L481 and ((enhancement near3 (legacy old previous)) near3 (application program\$4))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:12
L483	1123	L481 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:12
L484	140	L483 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:12
L485	3	("20020089542" "20020196281" "6571253").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:12
L486	2	(715/804.ccls.) and (legacy.ti.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:12
L487	5	(715/804.ccls.) and (legacy.ab.)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:12
L488	130	dummy with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12

L489	33	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L490	0	(dummy with token) same (null with device with context)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L491	26	L488 and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L492	8	dummy near2 token and (GUI user adj interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L493	18	L491 not L492	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L494	11235	aid with keys	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L495	680	"aid keys"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L496	1	("5363483").PN.	US-PGPUB; USPAT	OR	OFF	2009/07/08 10:12
L497	14	"aid keys" and (international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L498	5	("4159532" "4719570" "4821211" "4967190" "5146578").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/08 10:12
L499	89156	(international adj business adj machine.as.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L500	2	L499 and ("dummy token" "mock token" "blank token")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12

L501	48	L499 and (dummy mock blank) with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L502	15	L499 and ((dummy mock blank) with token) and window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L503	170	((dummy mock blank) with token) and window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L504	8	((dummy mock blank) with token) with window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L505	13	((dummy mock blank) with token) same window\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L506	5	L505 not L504	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L507	76	715/806.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:12
L508	1092	715/853.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:12
L509	690	(715/781.ccls.) and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:12
L510	267	715/803.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:12
L511	589	715/804.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/08 10:12
L512	2479	L511 L510 L507 L508 L509 and (@ad <="20031230" or @rlad<="20031230")	US-PGPUB; USPAT	OR	ON	2009/07/08 10:12

L513	1313	L512 and (GDI "graphic device interface" graphic\$2 near3 (interfac\$3 subcomponent\$2 subprogram\$2))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:12
L514	150	L513 and ((visual near3 component) (visual near3 window) MIL (media near3 integrat\$4 near layer\$1))	US-PGPUB; USPAT	OR	ON	2009/07/08 10:12
L515	26	L514 and blank	US-PGPUB; USPAT	OR	ON	2009/07/08 10:12
L516	22	L514 and token	US-PGPUB; USPAT	OR	ON	2009/07/08 10:12
L517	2	L514 and dummy	US-PGPUB; USPAT	OR	ON	2009/07/08 10:12
L518	25	L514 and null	US-PGPUB; USPAT	OR	ON	2009/07/08 10:12
L519	104	L513 and token	US-PGPUB; USPAT	OR	ON	2009/07/08 10:12
L520	1	L513 and token and dummy	US-PGPUB; USPAT	OR	ON	2009/07/08 10:12
L521	22	L513 and token and blank	US-PGPUB; USPAT	OR	ON	2009/07/08 10:12
L522	0	("irect\$4redirect\$4) withwindow").PN.	US-PGPUB; USPAT	OR	OFF	2009/07/08 10:12
L523	109716	(direct\$4 redirect\$4) with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L524	132	(direct\$4 redirect\$4) with window same (token)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L525	64	(direct\$4 redirect\$4) with window with token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L526	2	null with device with context with window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L527	33	null with device with context	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12

L528	0	(null with device with context) same token	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L529	33	L527 not L528	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L530	2	null with device with context same window	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L531	2	"6549218".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L532	1	10/749125	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:12
L533	2	"6185625".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/08 10:46

7/ 8/ 2009 11:22:46 AM

C:\ Documents and Settings\ NAugustine\ My Documents\ EAST\ Workspaces\ 10.749.125
VisualEnhancement_322.wsp